

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A ~~process~~ method for scheduling recording, storing, and deleting of television and/or Web page program material on a storage medium in a computer environment, comprising:

generating, in a multimedia recording device, a prioritized list of program viewing preferences;

wherein said list contains a viewer's explicit preferred program selections for recording and inferred preferred program selections for recording;

comparing said list with a database of program guide objects;

wherein said program guide objects indicate when programs of interest are broadcast;

generating a schedule of time versus available storage space that is optimal for the viewer's explicit or inferred preferred programs using said database of program guide objects, said schedule of time versus available storage space tracks all stored programs and programs that have been scheduled to be recorded in the future;

wherein said explicit and inferred preferred programs include television broadcast programs and/or Universal Resource Locators (URLs);

generating an ordered list of future showings of a specific program of interest using said database of program guide objects; and

checking showing(s) of said specific program of interest in said ordered list for input source or storage space conflicts with programs previously scheduled for recording using said schedule of time versus available storage space until a particular showing of said specific program

of interest is found having no input and/or space conflicts for the time the particular showing is available such that a recording of said specific program of interest is made as soon as possible and scheduling said particular showing of said specific program of interest for recording;

wherein said checking step makes a determination of conflicts for an explicitly selected program immediately upon the viewer making the explicit selection of the program to record[.];

upon the checking step failing to find a particular showing of said specific program of interest having no input and/or space conflicts for the time the particular showing is available, sorting said ordered list of future showings; and

wherein the ordering of said ordered list of future showings results in the viewer being presented with any conflicting explicit preferred program selections in order from least impact on programs previously scheduled for recording to greatest.

2. (Currently Amended) The ~~process~~ method of claim 1, wherein a highest possible priority is assigned to programs that the viewer requests ~~that certain programs to~~ be captured,~~which results in the highest possible priority for those programs.~~
3. (Currently Amended) The ~~process~~ method of claim 1, wherein the viewer explicitly expresses preferences using appurtenances provided through a viewer interface.
4. (Currently Amended) The ~~process~~ method of claim 1, wherein said preferences are inferred from viewing patterns.
5. (Currently Amended) The ~~process~~ method of claim 1, wherein said preferences correspond to television viewing objects stored in a replicated database.
6. (Currently Amended) The ~~process~~ method of claim 1, further comprising:
creating an input schedule; and

wherein said input schedule tracks free and occupied time slots for each input source.

7. (Currently Amended) The ~~process~~ method of claim 6, wherein a total amount of space available at any given moment in time is found by generating a sum of all occupied space or space that will be occupied at that particular time, and subtracting the sum from total capacity available to store programs.
8. (Currently Amended) The ~~process~~ method of claim 1, wherein inferred programs previously scheduled for recording automatically lose conflict decisions with explicit program selections.
9. (Currently Amended) The ~~process~~ method of claim 1, wherein a program is recorded if at all times between when the recording would be initiated and when it expires, sufficient space is available to hold it.
10. (Currently Amended) The ~~process~~ method of claim 6, wherein there must be an input available from which to record for the duration of the program.
11. (Currently Amended) The ~~process~~ method of claim 6, wherein only those types of inputs from which the desired program can be recorded are considered during scheduling.
- 12-15. (Canceled)
16. (Currently Amended) The ~~process~~ method of claim [[15]] 1, wherein for each candidate showing in said list, the viewer is presented with an option of shortening expiration dates for conflicting explicit preferred program selections.
17. (Currently Amended) The ~~process~~ method of claim [[15]] 1, wherein the viewer is presented with the option to cancel each previously scheduled recording that has an input conflict with the desired program.
18. (Currently Amended) The ~~process~~ method of claim 1, further comprising:

scheduling, by a background scheduler, each preferred program in turn until the list of preferred programs is exhausted or no further opportunity to record is available.

19. (Canceled)

20. (Currently Amended) The ~~process~~ method of claim 18, wherein a preferred program is scheduled if and only if there are no conflicts with other scheduled programs.

21. (Currently Amended) The ~~process~~ method of claim 1, wherein an inferred preferred program which has been scheduled is deleted if it conflicts with an explicit selection or if a change in viewer preferences identifies a higher priority program that could be recorded at that time.

22. (Currently Amended) The ~~process~~ method of claim 1, wherein all conflicts are resolved as early as possible.

23. (Canceled)

24. (Currently Amended) The ~~process~~ method of claim 1, wherein when there are schedule conflicts with other programs that the viewer has explicitly selected, the viewer is asked which scheduled recordings should be canceled and which should be completed.

25. (Currently Amended) The ~~process~~ method of claim 4, wherein schedule conflicts between explicit program selections and inferred program selections are resolved in favor of said explicit selections without asking the viewer.

26. (Currently Amended) The ~~process~~ method of claim 1, wherein an expiration time of at least one conflicting stored inferred preferred program is shortened to exactly that needed to allow recording of said particular showing of said specific program of interest when said specific program of interest is an explicit preferred program.

27. (Currently Amended) The ~~process~~ method of claim 1, wherein schedule conflicts resulting from the recording of aggregate objects are resolved using preference weighting of the programs involved.

28. (Currently Amended) The ~~process~~ method of claim 1, wherein when multiple conflicts are caused by a particular program in an aggregate object, it will only be recorded when its preference exceeds that of all conflicting programs.

29. (Currently Amended) An apparatus for scheduling recording, storing, and deleting of television and/or Web page program material on a storage medium in a computer environment, comprising:

a multimedia recording device ~~module for that~~ generat[[ing]]es a prioritized list of program viewing preferences;

wherein said list contains a viewer's explicit preferred program selections for recording and derived preferred program selections for recording;

a subsystem in said multimedia recording device ~~module for that~~ compar[[ing]]s said list with a database of program guide objects;

wherein said program guide objects indicate when programs of interest are broadcast;

a subsystem in said multimedia recording device ~~module for that~~ generat[[ing]]es a schedule of time versus available storage space that is optimal for the viewer's explicit or inferred preferred programs using said database of program guide objects, said schedule of time versus available storage space tracks all stored programs and programs that have been scheduled to be recorded in the future;

wherein said explicit and inferred preferred programs include television broadcast programs and/or Universal Resource Locators (URLs);

a subsystem in said multimedia recording device module for that generat[[ing]]es an ordered list of future showings of a specific program of interest using said database of program guide objects; and

a subsystem in said multimedia recording device module for that check[[ing]]s showing(s) of said specific program of interest in said ordered list for input source or storage space conflicts with programs previously scheduled for recording using said schedule of time versus available storage space-until a particular showing of said specific program of interest is found having no input and/or space conflicts for the time the particular showing is available such that a recording of said specific program of interest is made as soon as possible and scheduling said particular showing of said specific program of interest for recording;

wherein said ~~checking module~~ subsystem that checks showings makes a determination of conflicts for an explicitly selected program immediately upon the viewer making the explicit selection of the program to record[.];

a subsystem in said multimedia recording device that sorts said ordered list of future showings upon failure of said subsystem that checks showings to find a particular showing of said specific program of interest having no input and/or space conflicts for the time the particular showing is available; and

wherein the ordering of said ordered list of future showings results in the viewer being presented with any conflicting explicit preferred program selections in order from least impact on programs previously scheduled for recording to greatest.

30. (Currently Amended) The apparatus of claim 29, wherein a highest possible priority is assigned to programs that the viewer requests that ~~certain programs to~~ be captured, ~~which results in the highest possible priority for those programs.~~

31. (Previously Presented) The apparatus of claim 29, wherein the viewer explicitly expresses preferences using appurtenances provided through a viewer interface.
32. (Previously Presented) The apparatus of claim 29, wherein said preferences are inferred from viewing patterns.
33. (Original) The apparatus of claim 29, wherein said preferences correspond to television viewing objects stored in a replicated database.
34. (Previously Presented) The apparatus of claim 29, further comprising:
an input schedule; and
wherein said input schedule tracks the free and occupied time slots for each input source.
35. (Previously Presented) The apparatus of claim 34, wherein a total amount of space available at any given moment in time is found by generating a sum of all occupied space or space that will be occupied at that particular time, and subtracting the sum from total capacity available to store programs.
36. (Previously Presented) The apparatus of claim 29, wherein inferred programs previously scheduled for recording automatically lose conflict decisions with explicit program selections.
37. (Original) The apparatus of claim 29, wherein a program is recorded if at all times between when the recording would be initiated and when it expires, sufficient space is available to hold it.
38. (Original) The apparatus of claim 34, wherein there must be an input available from which to record for the duration of the program.
39. (Previously Presented) The apparatus of claim 34, wherein only those types of inputs from which the desired program can be recorded are considered during scheduling.
- 40-43. (Canceled)

44. (Currently Amended) The apparatus of claim [[43]] 29, wherein for each candidate showing in said list, the viewer is presented with an option of shortening expiration dates for conflicting explicit preferred program selections.
45. (Currently Amended) The apparatus of claim [[43]] 29, wherein the viewer is presented with the option to cancel each previously scheduled recording that has an input conflict with the desired program.
46. (Previously Presented) The apparatus of claim 29, further comprising:
a background scheduler that schedules each preferred program in turn until the list of preferred programs is exhausted or no further opportunity to record is available.
47. (Canceled)
48. (Original) The apparatus of claim 46, wherein a preferred program is scheduled if and only if there are no conflicts with other scheduled programs.
49. (Previously Presented) The apparatus of claim 29, wherein an inferred preferred program which has been scheduled is deleted if it conflicts with an explicit selection or if a change in viewer preferences identifies a higher priority program that could be recorded at that time.
50. (Original) The apparatus of claim 29, wherein all conflicts are resolved as early as possible.
51. (Canceled)
52. (Previously Presented) The apparatus of claim 29, wherein when there are schedule conflicts with other programs that the viewer has explicitly selected, the viewer is asked which scheduled recordings should be canceled and which should be completed.

53. (Previously Presented) The apparatus of claim 32, wherein schedule conflicts between explicit program selections and inferred program selections are resolved in favor of said explicit selections without asking the viewer.

54. (Previously Presented) The apparatus of claim 29, wherein an expiration time of at least one conflicting stored inferred preferred program is shortened to exactly that needed to allow recording of said particular showing of said specific program of interest when said specific program of interest is an explicit preferred program.

55. (Previously Presented) The apparatus of claim 29, wherein schedule conflicts resulting from the recording of aggregate objects are resolved using preference weighting of the programs involved.

56. (Previously Presented) The apparatus of claim 29, wherein when multiple conflicts are caused by a particular program in an aggregate object, it will only be recorded when its preference exceeds that of all conflicting programs.

57. (Currently Amended) ~~A program-storage medium-readable-by-a-computer, tangibly embodying a program of instructions executable by the computer to perform method steps~~ computer-readable medium carrying one or more sequences of instructions for scheduling recording, storing, and deleting of television and/or Web page program material on a storage medium, in a computer environment, comprising the steps of wherein execution of the one or more sequences of instructions by one or more processors causes the one or more processors to perform:

generating, in a multimedia recording device, a prioritized list of program viewing preferences;

wherein said list contains a viewer's explicit preferred program selections for recording and derived preferred program selections for recording;

comparing said list with a database of program guide objects;

wherein said program guide objects indicate when programs of interest are broadcast;

generating a schedule of time versus available storage space that is optimal for the viewer's explicit or inferred preferred programs using said database of program guide objects, said schedule of time versus available storage space tracks all stored programs and programs that have been scheduled to be recorded in the future;

wherein said explicit and inferred preferred programs include television broadcast programs and/or Universal Resource Locators (URLs);

generating an ordered list of future showings of a specific program of interest using said database of program guide objects; and

checking showing(s) of said specific program of interest in said ordered list for input source or storage space conflicts with programs previously scheduled for recording using said schedule of time versus available storage space until a particular showing of said specific program of interest is found having no input and/or space conflicts for the time the particular showing is available such that a recording of said specific program of interest is made as soon as possible and scheduling said particular showing of said specific program of interest for recording;

wherein said checking step makes a determination of conflicts for an explicitly selected program immediately upon the viewer making the explicit selection of the program to record[.];

upon the checking step failing to find a particular showing of said specific program of interest having no input and/or space conflicts for the time the particular showing is available, sorting said ordered list of future showings; and

wherein the ordering of said ordered list of future showings results in the viewer being presented with any conflicting explicit preferred program selections in order from least impact on programs previously scheduled for recording to greatest.

58. (Currently Amended) The computer-readable medium method of claim 57, wherein a highest possible priority is assigned to programs that the viewer requests that certain programs to be captured, which results in the highest possible priority for those programs.

59. (Currently Amended) The computer-readable medium method of claim 57, wherein the viewer explicitly expresses preferences using appurtenances provided through a viewer interface.

60. (Currently Amended) The computer-readable medium method of claim 57, wherein said preferences are inferred from viewing patterns.

61. (Currently Amended) The computer-readable medium method of claim 57, wherein said preferences correspond to television viewing objects stored in a replicated database.

62. (Currently Amended) The computer-readable medium method of claim 57, further comprising the steps of:

creating an input schedule; and

wherein said input schedule tracks the free and occupied time slots for each input source.

63. (Currently Amended) The computer-readable medium method of claim 62, wherein a total amount of space available at any given moment in time is found by generating a sum of all occupied space or space that will be occupied at that particular time, and subtracting the sum from the total capacity available to store programs.

64. (Currently Amended) The computer-readable medium method of claim 57, wherein inferred programs previously scheduled for recording automatically lose conflict decisions with explicit program selections.

65. (Currently Amended) The computer-readable medium ~~method~~ of claim 57, wherein a program is recorded if at all times between when the recording would be initiated and when it expires, sufficient space is available to hold it.

66. (Currently Amended) The computer-readable medium ~~method~~ of claim 62, wherein there must be an input available from which to record for the duration of the program.

67. (Currently Amended) The computer-readable medium ~~method~~ of claim 62, wherein only those types of inputs from which the desired program can be recorded are considered during scheduling.

68-71. (Canceled)

72. (Currently Amended) The computer-readable medium ~~method~~ of claim [[71]] 57, wherein for each candidate showing in said list, the viewer is presented with an option of shortening expiration dates for conflicting explicit preferred program selections.

73. (Currently Amended) The computer-readable medium ~~method~~ of claim [[71]] 57, wherein the viewer is presented with the option to cancel each previously scheduled recording that has an input conflict with the desired program.

74. (Currently Amended) The computer-readable medium ~~method~~ of claim 57, further comprising the ~~step of~~:

scheduling, by a background scheduler, each preferred program in turn until the list of preferred programs is exhausted or no further opportunity to record is available.

75. (Canceled)

76. (Currently Amended) The computer-readable medium ~~method~~ of claim 74, wherein a preferred program is scheduled if and only if there are no conflicts with other scheduled programs.

77. (Currently Amended) The computer-readable medium ~~method~~ of claim 57, wherein an inferred preferred program which has been scheduled is deleted if it conflicts with an explicit selection or if a change in viewer preferences identifies a higher priority program that could be recorded at that time.

78. (Currently Amended) The computer-readable medium ~~method~~ of claim 57, wherein all conflicts are resolved as early as possible.

79. (Canceled)

80. (Currently Amended) The computer-readable medium ~~method~~ of claim 57, wherein when there are schedule conflicts with other programs that the viewer has explicitly selected, the viewer is asked which scheduled recordings should be canceled and which should be completed.

81. (Currently Amended) The computer-readable medium ~~method~~ of claim 60, wherein schedule conflicts between explicit program selections and inferred program selections are resolved in favor of said explicit selections without asking the viewer.

82. (Currently Amended) The computer-readable medium ~~method~~ of claim 57, wherein an expiration time of at least one conflicting stored inferred preferred program is shortened to exactly that needed to allow recording of said particular showing of said specific program of interest when said specific program of interest is an explicit preferred program.

83. (Currently Amended) The computer-readable medium ~~method~~ of claim 57, wherein schedule conflicts resulting from the recording of aggregate objects are resolved using preference weighting of the programs involved.

84. (Currently Amended) The computer-readable medium ~~method~~ of claim 57, wherein when multiple conflicts are caused by a particular program in an aggregate object, it will only be recorded when its preference exceeds that of all conflicting programs.

85. (Currently Amended) A ~~prøeess~~ method for scheduling recording, storing, and deleting of television and/or Web page program material on a storage medium, comprising:

deriving, in a multimedia recording device, an ordered list of future showings of a specific program of interest from a database of program guide objects;

wherein said program guide objects indicate when programs are broadcast or transmitted;

determining storage medium memory space and input source scheduling conflicts between showing(s) of said specific program of interest in said ordered list and programs that have been scheduled to be recorded in the future, the determining step checking a plurality of input sources for input sources appropriate for each showing of said specific program of interest in said ordered list;

wherein said programs that have been scheduled to be recorded in the future comprise a viewer's explicit program selections and inferred program selections; and

scheduling for recording a particular showing of said specific program of interest that is found having no memory space and/or input conflicts such that a recording of said specific program of interest is made as soon as possible[.]] ; and

upon a failing to find a particular showing of said specific program of interest having no memory space and/or input conflicts, sorting said list of future showings, the ordering of said list of future showings results in the viewer being presented with any conflicting showings of said specific program of interest in order from least impact on programs previously scheduled for recording to greatest.

86. (Currently Amended) The ~~process~~ method of claim 85, wherein a highest possible priority is assigned to programs that the viewer requests ~~that certain programs to~~ be captured, ~~which results in the highest possible priority for those programs.~~

87. (Currently Amended) The ~~process~~ method of claim 85, wherein said inferred program selections are inferred from the viewer's viewing patterns.

88. (Currently Amended) The ~~process~~ method of claim 85, wherein said inferred program selections are inferred from the viewer's indicated preferences.

89. (Currently Amended) The ~~process~~ method of claim 85, wherein inferred programs already scheduled for recording automatically lose conflict decisions with explicit program selections.

90. (Currently Amended) The ~~process~~ method of claim 85, wherein a program is recorded when at all times between when the recording would be initiated and when it expires, sufficient storage medium space is available to hold it.

91. (Currently Amended) The ~~process~~ method of claim 85, wherein there must be an input available from which to record for the duration of the program.

92. (Currently Amended) The ~~process~~ method of claim 85, wherein only those inputs from which a desired program can be recorded are considered during scheduling.

93. (Currently Amended) The ~~process~~ method of claim 85, wherein said specific program of interest is an inferred program selection.

94. (Currently Amended) The ~~process~~ method of claim 85, wherein said specific program of interest is an explicit program selection.

95. (Currently Amended) The ~~process~~ method of claim 94, wherein the viewer is presented with an option to cancel each previously scheduled recording that has an input conflict with the viewer's explicit program selection.

96. (Currently Amended) The ~~process~~ method of claim 94, wherein the viewer is presented with an option to shorten each previously recorded program's expiration date that has a storage medium memory space conflict with the viewer's explicit program selection.

97. (Currently Amended) The ~~process~~ method of claim 96, wherein the viewer's explicit program selection is scheduled to be recorded if the viewer shortens each of the previously recorded program's expiration dates that have a storage medium memory space conflict with the viewer's explicit program selection.

98. (Currently Amended) The ~~process~~ method of claim 94, wherein if any previously scheduled programs conflict with an explicit program selection, then the viewer is asked which previously scheduled program should be canceled and which should be completed.

99. (Currently Amended) An apparatus for scheduling recording, storing, and deleting of television and/or Web page program material on a storage medium, comprising:

one or more storage medium;

two or more input sources;

a multimedia recording device ~~module for that~~ derive[[ing]]s an ordered list of future showings of a specific program of interest from a database of program guide objects;

wherein said program guide objects indicate when programs are broadcast or transmitted;

a subsystem in said multimedia recording device ~~module for that~~ determin[[ing]]es storage medium memory space and input source scheduling conflicts between showings of said specific program of interest in said ordered list and programs that have been scheduled to be recorded in the future, the ~~determining module~~ subsystem that determines storage medium space and input source scheduling conflicts check[[ing]]s a plurality of input sources for input sources appropriate for each showing of said specific program of interest in said ordered list;

wherein said programs that have been scheduled to be recorded in the future comprise a viewer's explicit program selections and inferred program selections; and

a subsystem in said multimedia recording device module for that schedule[[ing]]es for recording a particular showing of said specific program of interest that is found having no memory space and/or input conflicts such that a recording of said specific program of interest is made as soon as possible[[.]] ; and

a subsystem in said multimedia recording device that, upon a failing to find a particular showing of said specific program of interest having no memory space and/or input conflicts, sorts said list of future showings, the ordering of said list of future showings results in the viewer being presented with any conflicting showings of said specific program of interest in order from least impact on programs previously scheduled for recording to greatest.

100. (Currently Amended) The apparatus of claim 99, wherein a highest possible priority is assigned to programs that the viewer requests that certain programs to be captured, which results in the highest possible priority for those programs.

101. (Previously Presented) The apparatus of claim 99, wherein said inferred program selections are inferred from the viewer's viewing patterns.

102. (Previously Presented) The apparatus of claim 99, wherein said inferred program selections are inferred from the viewer's indicated preferences.

103. (Previously Presented) The apparatus of claim 99, wherein inferred programs already scheduled for recording automatically lose conflict decisions with explicit program selections.

104. (Previously Presented) The apparatus of claim 99, wherein a program is recorded when at all times between when the recording would be initiated and when it expires, sufficient storage medium space is available to hold it.

105. (Previously Presented) The apparatus of claim 99, wherein there must be an input available from which to record for the duration of the program.

106. (Previously Presented) The apparatus of claim 99, wherein only those inputs from which a desired program can be recorded are considered during scheduling.

107. (Previously Presented) The apparatus of claim 99, wherein said specific program of interest is an inferred program selection.

108. (Previously Presented) The apparatus of claim 99, wherein said specific program of interest is an explicit program selection.

109. (Previously Presented) The apparatus of claim 108, wherein the viewer is presented with an option to cancel each previously scheduled recording that has an input conflict with one of the viewer's explicit program selections.

110. (Previously Presented) The apparatus of claim 108, wherein the viewer is presented with an option to shorten each previously recorded program's expiration date that has a storage medium memory space conflict with one of the viewer's explicit program selections.

111. (Previously Presented) The apparatus of claim 110, wherein the viewer's explicit program selection is scheduled to be recorded if the viewer shortens each of the previously recorded program's expiration dates that have a storage medium memory space conflict with the viewer's explicit program selection.

112. (Previously Presented) The apparatus of claim 108, wherein if any previously scheduled programs conflict with an explicit program selection, then the viewer is asked which previously scheduled program should be canceled and which should be completed.

113. (Currently Amended) ~~A program storage medium readable by a computer, tangibly embodying a program of instructions executable by the computer to perform method steps~~

computer-readable medium carrying one or more sequences of instructions for scheduling recording, storing, and deleting of television and/or Web page program material on a storage medium, comprising wherein execution of the one or more sequences of instructions by one or more processors causes the one or more processors to perform:

deriving, in a multimedia recording device, an ordered list of future showings of a specific program of interest from a database of program guide objects;

wherein said program guide objects indicate when programs are broadcast or transmitted;

determining storage medium memory space and input source scheduling conflicts between showings of said specific program of interest in said ordered list and programs that have been scheduled to be recorded in the future, the determining step checking a plurality of input sources for input sources appropriate for each showing of said specific program of interest in said ordered list;

wherein said programs that have been scheduled to be recorded in the future comprise a viewer's explicit program selections and inferred program selections; and

scheduling for recording a particular showing of said specific program of interest that is found having no memory space and/or input conflicts such that a recording of said specific program of interest is made as soon as possible[.]] ; and

upon a failing to find a particular showing of said specific program of interest having no memory space and/or input conflicts, sorting said list of future showings, the ordering of said list of future showings results in the viewer being presented with any conflicting showings of said specific program of interest in order from least impact on programs previously scheduled for recording to greatest.

114. (Currently Amended) The computer-readable medium method of claim 113, wherein a highest possible priority is assigned to programs that the viewer requests that certain programs to be captured, ~~which results in the highest possible priority for those programs.~~

115. (Currently Amended) The computer-readable medium method of claim 113, wherein said inferred program selections are inferred from the viewer's viewing patterns.

116. (Currently Amended) The computer-readable medium method of claim 113, wherein said inferred program selections are inferred from the viewer's indicated preferences.

117. (Currently Amended) The computer-readable medium method of claim 113, wherein inferred programs already scheduled for recording automatically lose conflict decisions with explicit program selections.

118. (Currently Amended) The computer-readable medium method of claim 113, wherein a program is recorded when at all times between when the recording would be initiated and when it expires, sufficient storage medium space is available to hold it.

119. (Currently Amended) The computer-readable medium method of claim 113, wherein there must be an input available from which to record for the duration of the program.

120. (Currently Amended) The computer-readable medium method of claim 113, wherein only those inputs from which a desired program can be recorded are considered during scheduling.

121. (Currently Amended) The computer-readable medium method of claim 113, wherein said specific program of interest is an inferred program selection.

122. (Currently Amended) The computer-readable medium method of claim 113, wherein said specific program of interest is an explicit program selection.

123. (Currently Amended) The computer-readable medium ~~method~~ of claim 122, wherein the viewer is presented with an option to cancel each previously scheduled recording that has an input conflict with one of the viewer's explicit program selections.

124. (Currently Amended) The computer-readable medium ~~method~~ of claim 122, wherein the viewer is presented with an option to shorten each previously recorded program's expiration date that has a storage medium memory space conflict with one of the viewer's explicit program selections.

125. (Currently Amended) The computer-readable medium ~~method~~ of claim 124, wherein the viewer's explicit program selection is scheduled to be recorded if the viewer shortens each of the previously recorded program's expiration dates that have a storage medium memory space conflict with the viewer's explicit program selection.

126. (Currently Amended) The computer-readable medium ~~method~~ of claim 122, wherein if any previously scheduled programs conflict with an explicit program selection, then the viewer is asked which previously scheduled program should be canceled and which should be completed.